AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims

Claims 1-12 (Canceled)

Claim 13 (Currently amended): A device for preventing an incorrect insertion of a

cartridge into a cartridge storage space, the cartridge including a housing that has a recessed part

opened to one side of the cartridge and disposed at positions other than a central position of the

eartridge, and a magnetic tape reel, the recessed part being used for inserting a reel base that

engages with the magnetic tape reel said device comprising:

a claw operable to protrude into [[the]]a recessed part of the cartridge only when the

cartridge is inserted into the cartridge storage space in a correct orientation, the cartridge

including a housing that has the recessed part opened to one side of the cartridge and disposed at

a position other than a central position of the cartridge, and a magnetic tape reel, the recessed

part being used for inserting a reel base that engages with the magnetic tape reel; and

a stopper operable to work with said claw such that when said claw protrudes into the

recessed part of the cartridge, said stopper is disposed to allow the cartridge to be inserted and

stored in the cartridge storage space, and when said claw does not protrude into the recessed part

of the cartridge, said stopper is disposed to prevent the cartridge from being inserted and stored

in the cartridge storage space.

Page 2 of 10

Claim 14 (Previously presented): A device as claimed in claim 13, the cartridge being

inserted into the cartridge storage space in a correct orientation when the cartridge is inserted

from a predetermined direction into the cartridge storage space.

Claim 15 (Previously presented): A device as claimed in claim 13, further comprising

a joint part operable to join said claw with said stopper, said joint part being disposed to rock on

a shaft as a fulcrum.

Claim 16 (Previously presented): A device as claimed in claim 13, further comprising

a plurality of at least one of said claw and said stopper.

Claim 17 (Canceled)

Claim 18 (Currently amended): A device for preventing an incorrect insertion of a

cartridge into a cartridge storage space, the cartridge including a housing having a recessed part

opened to one side of the cartridge and disposed at a position[[positions]] other than a central

position of the cartridge, and a magnetic tape reel, the recessed part being used for inserting a

reel base that engages[[engaged]] with the magnetic tape reel, said device comprising:

a claw operable to protrude into the recessed part of the cartridge only when the cartridge

is inserted into the cartridge storage space in a correct orientation;

a claw position detecting part, having a switch the state of which is switched based on a

position of said claw, operable to detect whether or not said claw protrudes into the recessed part

Page 3 of 10

of the cartridge based on the state of said switch, and output a detection result indicating whether

or not said claw protrudes into the recessed part; and

a determining part operable to determine that the insertion of the cartridge is in a correct

orientation when the inputted detection result from said claw position detecting part indicates

that said claw protrudes into the recessed part, and to determine that the insertion of the cartridge

is in an incorrect orientation when the inputted detection result from said claw position detecting

part indicates that said claw [[protrude]]does not protrude into the recessed part; and

said determining part operable to activate at least one of: a suspension operation to

suspend the insertion; an operation to provide information of an incorrect insertion; and an

ejection operation to eject the cartridge from the cartridge storage space, when said determining

part determines that the insertion of the cartridge is not in a correct not in a correct orientation.

Claim 19 (Previously presented): A device as claimed in claim 18, the cartridge being

inserted into the cartridge storage space in a correct orientation when the cartridge is inserted

from a predetermined direction into the cartridge storage space.

Claim 20 (Canceled)

Claim 21 (Currently amended): A cartridge changer for performing cartridge changing

and preventing an incorrect insertion of a cartridge into a cartridge storage space, the eartridge

including a housing that has a recessed part opened to one side of the cartridge and disposed at

positions other than a central position of the cartridge, and a magnetic tape reel, the recessed part

Page 4 of 10

being used for inserting a reel base that engages with the magnetic tane reel, said cartridge

changer comprising:

a plurality of cartridge storage parts each of which includes the cartridge storage space

for mounting the cartridge:

a moving mechanism operable to move a selected one of said plurality of cartridge

storage parts from a first position, at which the cartridge is inserted into the cartridge storage

space, to a second position which is different than the first position; and

a device disposed in at least one of the first position, the second position, and the plurality

of cartridge storage parts, said device comprising:

a claw operable to protrude into [[the]]a recessed part of the cartridge only when the

cartridge is inserted into the cartridge storage space in a correct orientation, the cartridge

including a housing that has the recessed part opened to one side of the cartridge and disposed at

a position other than a central position of the cartridge, and a magnetic tape reel, the recessed

part being used for inserting a reel base that engages with the magnetic tape reel; and

a stopper operable to work with said claw such that when said claw protrudes into the

recessed part of the cartridge, said stopper is disposed to allow the cartridge to be inserted and

stored in the cartridge storage space, and when said claw does not protrude into the recessed part

of the cartridge, said stopper is disposed to prevent the cartridge from being inserted and stored

in the cartridge storage space.

Claim 22 (Previously presented): A cartridge changer as claimed in claim 21, the

cartridge being inserted into the cartridge storage space in a correct orientation when the

cartridge is inserted from its backside into the cartridge storage space.

Page 5 of 10

Claim 23 (Currently amended): A cartridge changer as claimed in claim 21, the second

position being adjacent to a cartridge inserting point of a cartridge control device used for

recording information to and/or reproducing information from magnetic tape contained on the

magnetic tape reel.

Claim 24 (Currently amended): A cartridge changer as claimed in claim 21, further

comprising a cartridge control device disposed in a position adjacent to the second position, said

cartridge control device comprising:

a second cartridge storage part for mounting the cartridge; and

a control part operable to record information to and/or reproduce information from

magnetic tape contained on the magnetic tape reel.

Claim 25 (Previously presented): A cartridge changer as claimed in claim 24, said

cartridge control device further comprising a second device operable to prevent an incorrect

insertion of the cartridge into said second cartridge storage part.

Claim 26 (Previously presented): A cartridge changer as claimed in claim 25, said

second device being operable to detect that the cartridge has been inserted into said second

cartridge storage part in an incorrect orientation.

Page 6 of 10

Claim 27 (Previously presented): A cartridge changer as claimed in claim 26, the cartridge being inserted into said second cartridge storage part in a correct orientation when the cartridge is inserted from its foreside into said second cartridge storage part.

Claim 28 (Previously presented): A cartridge changer as claimed in claim 25, said second device containing a projection for preventing the incorrect insertion of the cartridge into said second cartridge storage part, wherein a notch provided on a corner of the cartridge must be aligned with said projection for correct insertion.

Claims 29–43 (Canceled)

Claim 44 (Currently amended): A device for preventing an incorrect insertion of a cartridge into a cartridge storage space, the cartridge including a housing that has a recessed part opened to one side of the cartridge and disposed at positions other than a central position of the eartridge, and a magnetic tape reel, the recessed part being used for inserting a reel base that engaged with the magnetic tape reel, said device comprising:

a claw operable to protrude into [[the]]a recessed part of the cartridge only when the cartridge is inserted into the cartridge storage space in a correct orientation, the cartridge including a housing that has the recessed part opened to one side of the cartridge and disposed at a position other than a central position of the cartridge, and a magnetic tape reel, the recessed part being used for inserting a reel base that engages with the magnetic tape reel;

a stopper operable to work with said claw such that when said claw protrudes into the recessed part of the cartridge, said stopper is disposed to allow the cartridge to be inserted and

stored in the cartridge storage space, and when said claw does not protrude into the recessed part

of the cartridge, said stopper is disposed to prevent the cartridge from being inserted and stored

in the cartridge storage space; and

a determining part operable to determine that the insertion of the cartridge is [[not]]in a

correct orientation when said claw protrudes into the recessed part, and to determine that

insertion of the cartridge is in an incorrect orientation when the inputted detection result from

said claw position detecting part indicates that said claw [[protrude]]does not protrude into the

recessed part.

Page 8 of 10